

Express Mail Label No. EL 886 963 345 US

Date of Mailing NOVEMBER 8, 2001

PATENT  
Case No. 1330/04  
(GW:00-05)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE  
APPLICATION FOR UNITED STATES LETTERS PATENT

INVENTOR(S): ORAZIO PATER  
ANDREW BOEMI

TITLE: ELECTRONIC PAYMENT SYSTEM AND  
METHOD

ATTORNEYS: CARDINAL LAW GROUP  
SUITE 2000  
1603 ORRINGTON AVENUE  
EVANSTON, ILLINOIS 60201  
(847) 905-7111

100733-1000

## ELECTRONIC PAYMENT SYSTEM AND METHOD

### CROSS REFERENCE TO RELATED APPLICATION

This application claims the benefit of U.S. Provisional Application No. 60/246,885, filed November 8, 2000, entitled Electronic Payment System.

### TECHNICAL FIELD

The present invention relates to electronic payment and more particularly to payment over electronic funds transfer networks.

### BACKGROUND OF THE INVENTION

The Internet and the World Wide Web offer opportunities for transacting commerce and transferring funds on an unprecedented scale. Merchants are able to offer their goods to customers worldwide for minimal investment. Customers are able to access goods and services they never thought possible. Customers are able to pay bills without ever touching pen to paper. Still, the potential of Internet commerce is limited by complexity, payment methods and security concerns.

For online consumer sales, the merchant typically provides an online catalog, from which the customer selects what they want to purchase and places the goods in an electronic "shopping cart." After the customer has selected all the desired goods, they check out by entering personal information, including credit card numbers, and authorizing the transaction. Many transactions are never completed because the customer becomes confused by the complexity of the check out process or becomes concerned with transmitting their credit card number over the Internet. Further business is lost because payment is limited to credit cards: the customer may not have a credit card or their credit card limit may not be sufficient to cover the transaction. From the merchant's standpoint, credit card payment lacks the immediacy and non-repudiation features of a wire transfer. Credit card fraud has proven to be a major expense.

For online bill payment, the customer typically authorizes a debit of their bank account to pay a bill. The authorization may be for one time or periodic payments. Although the customer has some control over when and whether the bill is paid, they cannot choose the electronic funds transfer network that may be most suited to their transaction. Although there are different electronic funds transfer networks available, such as FEDWIRE, ACH, SWIFT or CHIP, the customer is limited to the network provided by the bill payment service. Electronic funds transfer costs may be higher than necessary because the network used by the bill payment service is not appropriate for the size and urgency of a particular transfer.

Current e-commerce systems generate billing information, but rely on outside entities to make the funds transfer. Typically, a credit card is used to effect the payment. Examples of commerce systems that provide online shopping methods but rely on outside payment mechanisms are disclosed in U.S. Patent No. 5,960,411 to Hartman *et al.* and U.S. Patent No. 6,125,352 to Franklin *et al.*

It would be desirable to have an electronic payment system that would overcome the above disadvantages.

#### SUMMARY OF THE INVENTION

One aspect of the present invention provides an electronic payment system allowing payment by a single action over any electronic funds transfer network.

Another aspect of the present invention provides an electronic payment system reducing exposure of credit card and other personal information on the Internet.

Another aspect of the present invention provides an electronic payment system allowing the option to choose any electronic funds transfer network.

5 The payment method of the present invention facilitates funds payment according to the wishes of a customer, allowing the customer in a single action to instruct an electronic funds transfer network to move funds from an originating bank to a beneficiary bank. The electronic payment method comprises the steps of establishing funds transfer static data containing an identification number corresponding to a customer ID, and funds transfer information; completing a customer transaction to the point of payment; providing the customer ID at a transaction point; in response to a single action, transmitting payment input data containing the customer ID, payment amount, and transaction date; generating funds transfer data by adding funds transfer static data and funds transfer status data to the payment input data; monitoring the status data to decide if payment is due; and generating a funds transfer instruction including the appropriate information data when the status data indicate the payment is due.

10  
15  
20 The step of establishing funds transfer static data involves obtaining information from the customer about where the payment funds originate, how they are to be transferred, and where they are to go. The customer information for the funds transfer static data can be obtained in a number of ways, depending on the customer preferences. The information can be input by the customer directly at a remote computer, then transmitted to the over the Internet using secure transmission. If the customer is concerned about Internet security, the information can be supplied to a telephone operator, who manually enters the information. If the customer is more comfortable with written transactions, the information can be entered on a paper form, then manually keyed in.

25 The funds transfer static data contains a unique identification number to identify the particular funds transfer scheme. The identification number is mapped to a customer ID, which is supplied to the customer alphanumerically (represented as a written number) or electronically. The customer ID may last indefinitely or may be limited. For example, the customer ID can be limited to a certain time period, limited to a certain number of uses, or limited to a single use.

The step of completing a customer transaction to the point of payment involves selecting the items to be purchased or the bill to be paid and calculating a final payment amount. The customer can be connected to the Internet on a private computer, connected to the Internet at a public computer away from home, or be shopping at a store. The final payment amount could include the cost of goods and services, shipping, taxes, and any other miscellaneous charges.

The step of providing the customer ID at a transaction point involves the customer supplying the customer ID. If the customer ID is stored electronically on a private computer, it can be recalled from storage and incorporated in the web page automatically without the customer seeing it. If the customer is using a public computer, the customer ID can be entered manually in a web page blank. If the customer is shopping at a store, they can enter the customer ID in a keypad attached to the store's register system. The private or public computer can be wireless, such as a handheld device like a Blackberry<sup>TM</sup> handheld unit, or wired.

The step of transmitting payment input data containing the customer ID, payment amount, and date in response to a single action involves sending the payment input data from the remote computer or store to a host system for carrying out the payment. Data may be encrypted to provide secure communications. The single action may be hitting a button or providing a voice command: any input to which the remote computer is sensitive. On a private or public computer, the single action can be hitting an HTML payment button on the web page, where the payment button is programmed to send the payment input data across the Internet. The payment button may be embedded in the merchant's web page or as a payment option in an electronic wallet. At a store, the single action can be hitting an acknowledge button on the keypad attached to the store's register system. The step may also include using a hardware or software method to authenticate the customer's identity.

5 The step of generating funds transfer data involves taking payment input data, adding funds transfer static data for the identification number corresponding to the customer ID, adding funds transfer status data, and storing the result as funds transfer data. The funds transfer status data records the steps of the payment transaction and typically includes an operator ID for the person or agent taking the action, an action date, an action time, and a verification control number for each step in the payment process.

The step of monitoring the funds transfer status data involves checking the funds transfer status data of the funds transfer data to determine when the funds transfer instruction should be generated and sent. During the monitoring step, the system can review existing funds transfer options and select an option based on pre-programmed business rules considering such parameters as speed and expense. The system can then enter the funds transfer data to take advantage of the best option. Also during the monitoring step, the system reviews the identity of the originating bank to determine whether the funds transfer is a scheduled transfer or extraction transfer.

20 The step of generating a funds transfer instruction involves converting the funds transfer data to a funds transfer instruction and forwarding the instruction to the originating bank when the monitoring step determines it is appropriate. The funds transfer instruction is generated in a data format compatible with the data format of the originating bank. For a scheduled transfer, the instruction is transmitted to the bank a portion at a time, with the banks computer indicating when it is ready to receive the next portion. For an extraction transfer, the instruction is sent to the originating bank in a continuous stream.

Once the originating bank has received the funds transfer instruction, the originating bank executes the funds transfer over the pre-determined local or international electronic funds transfer and settlement network, such as FEDWIRE, ACH, SWIFT, or CHIP. The funds are transferred to the beneficiary bank and the transaction is complete.

The system can provide messages to the transaction participants at different stages in the transaction, informing them of status or completion. For example, the customer can be notified when the transfer instruction is sent or when the transfer is complete.

The foregoing and other features and advantages of the invention will become further apparent from the following detailed description of the presently preferred embodiments, read in conjunction with the accompanying drawings. The detailed description and drawings are merely illustrative of the invention, rather than limiting the scope of the invention being defined by the appended claims and equivalents thereof.

#### BRIEF DESCRIPTION OF THE DRAWINGS

**FIG. 1** shows a schematic representation of one embodiment of a system according to the present invention.

**FIG. 2** shows a flow chart representing one embodiment of a method of the present invention.

**FIG. 3** shows a funds transfer data record of one embodiment of a system according to the present invention.

## DETAILED DESCRIPTION OF THE PRESENTLY PREFERRED EMBODIMENTS

**FIG. 1** is a schematic representation of one embodiment of a electronic payment system according to the present invention. A system **10** for payment comprises a customer **20** remotely forwarding payment input data **12** over a communications network **30** to a funds transfer data and processing host **40**. Customer **20** may be a person using a private or public computer, or a person in a retail shop. Communications network **30** is any communications network suitable for data transfer: a public access network like the Internet and the World Wide Web, a private dial-up network, a corporate intranet, or other similar networks. Data may be encrypted to provide secure communications. The communications network **30** can be wireless or wired, or a combination of the two.

Customer **20** selects items to purchase or bills to pay and completes the transaction to the point where payment is required. Customer **20** then sends funds transfer data and processing host **40** payment input data **12** through the single action of pushing payment button **22**. Payment button **22** is typically an HTML button embedded in the web page the customer is viewing, such as a merchant's e-commerce page or a bill payment service page. The payment button **22** may also appear as a payment option within an electronic wallet and could also have other associated functions, such as forwarding shipping information. If the customer **20** is using a private, secure computer, the payment button **22** may contain or use embedded code already stored on the computer, such that the customer **20** does not need to enter identifying information. If the customer **20** is using a public, unsecured computer, customer **20** may need to enter identifying information before pushing payment button **22**. Various hardware or software methods can be used to authenticate the customer's identity, if desired.



In an alternate embodiment, the payment button could be provided as a payment source in an electronic wallet. The customer sets up a link to the payment button within the electronic wallet, so that the payment button will appear as one of the payment sources in the electronic wallet while shopping or paying bills on-line. The customer shops on-line, selecting items for purchase and the payment button as the associated payment source. The payment button would be activated by the link when the customer checks out.

When pushed, payment button **22** sends payment input data **12** to the funds transfer data and processing host **40**. Payment input data **12** includes information about the payment, such as customer ID, payment amount, and transaction date (**FIG. 3**). The customer ID corresponds to the identification number stored in funds transfer static data **54**.

Funds transfer data and processing host **40** generates funds transfer data **50**, by appending funds transfer static data **54** and funds transfer status data **52** to payment input data **12**, after verifying that the customer ID is current and valid and corresponds to a valid identification number. Funds transfer static data **54** includes specific funds transfer information, such as identification, debit record, beneficiary record, beneficiary bank, send via, intermediate bank, added information, and general comments (**FIG. 3**). In an alternative embodiment, the funds transfer static data **54** can include credit card information, such as customer name, credit card number, and expiration date, so that the funds transfer can be carried out as a charge against the customer's credit card, rather than a bank funds transfer. The funds transfer static data **54** is entered and stored in the funds transfer and processing host **40** before customer **20** uses the electronic payment system. The funds transfer static data **54** can be entered by customer **20** over an electronic communications network, entered by an operator taking the information from customer **20**, or entered by an operator from a paper form filled out by customer **20**.

Funds transfer status data **52** includes information about the status of the funds transfer, such as whether the transfer has been created, extracted, accepted, or confirmed (**FIG. 3**). The status values are updated as the funds transfer proceeds, e.g., the created data is updated when customer **20** pushes the payment button **22** and the confirmed data is updated when execution is complete. Each status value typically includes an operator ID for the person or agent taking the action, an action date, an action time, and a control number for verifying the action.

Funds transfer data and processing host **40** then monitors funds transfer data **50** to determine when the conditions for executing the funds transfer are met. When conditions are met, funds transfer data and processing host **40** extracts funds transfer instruction **60** from funds transfer data **50** by applying funds transfer interface **62**. Funds transfer interface **62** contains an arrangement of rules and formats for making a transfer from any given bank over any electronic funds transfer network, arranged in control tables. Funds transfer data and processing host **40** selects the control table for the particular bank and electronic funds transfer network in a given transaction and uses them to extract funds transfer instruction **60**. The appropriate funds transfer protocol is selected based on the desired funds transfer network as well as the originating bank involved. The control table drives the program to prepare the transfer instructions and forward them to originating bank for execution by their legacy system. Funds transfer data and processing host **40** may also apply funds transfer business logic **64** to determine the least cost or most expeditious method to execute the funds transfer. Funds transfer business logic **64** includes decision support to help determine the best transfer method and consider alternatives.

Funds transfer data and processing host **40** then sends funds transfer instruction **60** to originating bank **80** over communications network **70**, using a prompt-response, record level, or file transfer communication protocol. Communications network **70** is any communications network suitable for data transfer: a public access network like the Internet and the World Wide Web, a private dial-up network, a corporate intranet, or other similar networks. Funds transfer instruction **60** is compatible with the legacy computer systems of originating bank **80**.

Originating bank **80** transfers funds **82** to beneficiary bank **100** over electronic funds transfer network **90**. Electronic funds transfer network **90** is any local or international network capable of electronically moving funds between banks, such as FEDWIRE, ACH, SWIFT, or CHIP.

Various advisory messages can be provided during the process to inform the participants that the transfer is proceeding smoothly or has encountered problems. For example, the electronic funds transfer network **90** can advise the beneficiary bank **100** and originating bank **80** when the funds transfer is complete. The advisory message can be provided at any point a party to the transaction finds it desirable to confirm an action has occurred.

**FIG. 2** is a flow charts representing one embodiment of an electronic payment system of the present invention. The customer has previously provided the funds transfer static data stored in the funds transfer data and processing host and has obtained a customer ID. The funds transfer static data contains information about the desired funds transfer, such as identification, debit record, credit record, intermediate bank, added information, and general comments.

5 The customer shops or decides what bills to pay, so that there is a total amount due for a particular transaction (step 210). The customer may be at a private computer, in which case a payment button is present on the display embedded in the merchant's web page, or at a public computer, in which case a payment button and a customer ID blank are present on the display. At the public computer, the customer enters their customer ID in the customer ID blank. The private or public computer can be wireless, such as a handheld device like a Blackberry™ handheld unit, or wired. In a single action, the customer pushes the payment button to send the payment input data containing the customer ID, payment amount, and transaction date to the funds transfer data and processing host (step 220). The payment input data may also contain customer authentication information.

10 Various software or hardware methods can be used to authenticate the customer's identity, if desired. The authentication can be an external token as simple as a password, like a personal identification number (PIN), assigned to the customer and input by the customer. The next level of sophistication would be a password good for a limited number of transactions or for a limited time. A variation on the password system is to use a continuously changing password coordinated between the customer and the funds transfer data and processing host, such as provided by the SecureID system sold by Security Dynamics. Various hardware devices permanently or temporarily provided at 20 the computer could be used for authentication. An encoded card, an access disk, or a computer port mounted device might be required to supply a software key before allowing a transaction to go forward. Biometric devices, such as retinal scanners or fingerprint detectors, could be used to verify an individual customer's identity. The method selected depends on the degree of certainty required. 25

The funds transfer data and processing host adds funds transfer static data and funds transfer status data to the payment input data to form funds transfer data (step 230), matching the customer ID with a unique identification number in the funds transfer static data. The funds transfer static data contains the previously entered data about how the funds transfer is to be carried out and the funds transfer status data tracks the progress of the funds transfer. The funds transfer data and processing host also verifies that the customer ID in the payment input data corresponds to a valid identification number in the funds transfer static data.

The funds transfer data and processing host then monitors conditions to see if the transfer should be executed (step 240). The conditions monitored may be any external conditions, such as time or currency exchange rates. If conditions are not met, the funds transfer data and processing host waits and checks again later (step 250). Once conditions are met, the funds transfer data and processing host processes the funds transfer.

The funds transfer data and processing host extracts funds transfer instructions from the funds transfer data by applying a funds transfer interface (step 260). The funds transfer interface contains the rules and formats for various banks and electronic funds transfer networks in the form of control tables, and provides the rules and formats needed to make a transfer from a specified originating bank over a specified electronic funds transfer network. The funds transfer instructions are sent to the originating bank (step 270), which sends funds to the selected electronic funds transfer network (step 280), which in turn forwards them to the beneficiary bank (step 290). This concludes the funds transfer (step 300).

**FIG. 3** shows a funds transfer data record of one embodiment of a electronic payment system according to the present invention. Funds transfer data **50** comprises payment input data **12**, funds transfer static data **54**, and funds transfer status data **52**. As shown in **FIG 1**, funds transfer data **50** is created by the funds transfer data and processing host **40** combining payment input data **12** with funds transfer static data **54** and funds transfer status data **52**.

Payment input data **12** of **FIG. 3** contains the information from a specific payment transaction, and further comprises fields for customer **370**, amount **380**, and date **390**. Each field may contain associated data: customer ID **372**, payment amount **382**, and transaction date **392**. The associated data contains the specific information from a specific payment transaction. The customer ID **372** identifies the customer making the payment and corresponds to an identification number **402** in the funds transfer static data **54**. The payment amount **382** identifies the transaction amount and the amount of funds to be transferred. The transaction date **392** identifies the transaction date.

Funds transfer static data **54** contains information provided by the customer to direct the funds transfer and is stored in the funds transfer data and processing host before the electronic payment system can be used. The funds transfer static data **54** further comprises fields for identification **400**, debit record **410**, beneficiary record **420**, beneficiary bank **430**, send via **440**, intermediate bank **450**, added information **460**, and general comments **470**. Each field may contain associated data: an identification number **402** with the identification **400**; a debit bank # + account # **412** with the debit record **410**; a beneficiary name **422** and a beneficiary account # **424** with the beneficiary record **420**; a routing & transit # **432** with the beneficiary bank **430**; an EFTN # **442** with send via **440**; an optional instructions **452** and an inter. bank # + account # **454** with the intermediate bank **450**; a details **462** and a invoice number **464** with the added information **460**; and an optional comments **472** with the general comments **472**. As an alternative, funds transfer static data **54** can be set up to provide payment by credit card. The customer would

provide their credit card information (customer name, card number, expiration date), rather than the bank transfer information. When the transaction is executed, the electronic payment system will debit the customer's credit card account instead of their bank account.

The associated data contains information for the funds transfer transaction. The identification number **402** identifies the specific funds transfer arrangement. The debit bank # + account # **412** identifies the originating bank account to be debited. The beneficiary name **422** identifies the beneficiary to be credited and the beneficiary account # **424** identifies account to be credited. The routing & transit # **432** identifies the routing path for the transfer. The EFTN # **442** identifies the electronic funds transfer network to be used for the transfer. The optional instructions **452** and bank # + account # **454** provide instructions and account numbers if specific intermediate banks are to be used in the funds transfer. The details **462** and invoice number **464** identify the commercial transaction with which the funds transfer is associated. The optional comments **472** identify any optional information.

Funds transfer status data **52** contains information about the progress of the funds transfer, and further comprises fields for whether the transfer has been created **500**, extracted **530**, accepted **540**, or confirmed **550**. Each field may contain associated data regarding the status of the funds transfer, which is updated as the funds transfer proceeds: the creation status value **502** with created **500**; the extract status value **532** with extracted **530**; the accept status value **542** with accepted **540**; and the confirm status value **552** with confirmed **550**. Each status value typically includes an operator ID for the person or agent taking the action, an action date, an action time, and a control number for verifying the action.

It should be noted that the above fields and data shown in **FIG. 3** are examples of the key fields and that many more are available to meet specific needs.

The above-described electronic payment system is intended to provide an electronic payment system allowing payment by a single action over any electronic funds transfer network, but is clearly suited for other uses. By improving electronic payment, the system makes new payment options available, increasing flexibility and reducing costs. It will be evident that there are additional embodiments which are not illustrated above but which are clearly within the scope and spirit of the present invention. The above description and drawings are therefore intended to be exemplary only.

While the embodiments of the invention disclosed herein are presently considered to be preferred, various changes and modifications can be made without departing from the spirit and scope of the invention. The scope of the invention is indicated in the appended claims, and all changes that come within the meaning and range of equivalents are intended to be embraced therein.